

Selection of publications based on stable isotope measurements performed in the GEOMAR Stable Isotope Lab

- Bahr, A., Nürnberg, D., Karas, C. and Grützner, J. (2013) *Millennial-scale versus long-term dynamics in the surface and subsurface of the western North Atlantic Subtropical Gyre during Marine Isotope Stage 5* Global and Planetary Change, 111 . pp. 77-87. DOI 10.1016/j.gloplacha.2013.08.013.
- Bahr, A., Nürnberg, D., Schönfeld, J. and Garbe-Schönberg, D. (2011) *Hydrological variability in Florida Straits during Marine Isotope Stage 5 cold events* Paleoceanography, 26 (2). PA2214. DOI 10.1029/2010PA002015.
- Barash, M. S., Matul, A. G., Kazarina, G. K., Khusid, T. A., Abelmann, A., Biebow, N., Nürnberg, D. and Tiedemann, R. (2006) *Paleoceanography of the Central Sea of Okhotsk during the Middle Pleistocene (350-190 ka) as inferred from micropaleontological data* Oceanology, 46 (4). pp. 501-512.
- Bickert, T., Haug, G. and Tiedemann, R. (2004) *Late Neogene benthic stable isotope record of ODP Site 999: Implications for Caribbean paleoceanography, organic burial and the Messinian Salinity Crisis* Paleoceanography, 19 (1). PA1023. DOI 10.1029/2002PA000799.
- Chen, F., Su, X., Nürnberg, D., Lu, H. f., Zhu, Y. h., Liu, J. and Liao Zhi-liang, (2006) *Lithologic features of sediments characterized by high sedimentation rates since the Last Glacial Maximum from Dongsha area of the South China Sea* Marine Geology and Quaternary Geology, 26 (6). pp. 9-18.
- Derkachev, A.N., Nikoleva, N., Gorbarenko, S.A., Portnyagin, M., Ponomareva, O., Nürnberg, D., Sakamoto, T., Iijima, K., Liu, Y., Shi, X., Lv, H., Wang, K. (2016) Tephra layers in the quaternary deposits of the Sea of Okhotsk: Distribution, composition, age, and volcanic resources. Quaternary International, dx.doi.org/10.1016/j.quaint.2016.07.004.
- Fischel, A., Seidenkrantz, M.-S, Nürnberg, D., Kucera, M., Kuipers, A. (2017) Upper water mass variability in the Anegada-Jungfern Passage, NE Caribbean, during the last 11.100 cal.yr. The Holocene 1-17, doi:10.1177/0959683616687378.
- Gebregiorgis, D., Hathorne, E., Sijinkumar, A.V., Nath, B.J., Nürnberg, D., Frank, M. (2016) South Asian Summer Monsoon variability during the last ~54kyrs inferred from surface water salinity and river run off proxies. Quaternary Science Reviews 138, 6-15. <http://dx.doi.org/10.1016/j.quascirev.2016.02.012>.
- Franz, S. O. and Tiedemann, R. (2002) *Depositional changes along the Blake-Bahama Outer Ridge deep water transect during marine isotope stages 8 bis 10 - links to Deep Western Boundary Current* Marine Geology (189). pp. 107-122.
- Grützner, J., Giosan, L., Franz, S. O., Tiedemann, R., Cortijo, E., Chaisson, W. P., Flood, R. D., Hagen, S., Keigwin, L. D., Poli, S., Rio, D. and Williams, T. (2002) *Astronomical age models for Pleistocene drift sediments from the western North Atlantic (ODP Sites 1055 to 1063)* Marine Geology, 189 . pp. 5-23.
- Gorbarenko, S. A., Psheneva, O. Y., Artemova, A. V., Matul', A. G., Tiedemann, R. and Nürnberg, D. (2010) *Paleoenvironment changes in the NW Okhotsk Sea for the last 18 kyr determined with micropaleontological, geochemical, and lithological data* Deep-Sea Research Part I-Oceanographic Research Papers, 157 . pp. 797-811. DOI 10.1016/j.dsr.2010.04.004.
- Gorbarenko, S., Leskov, V. Y., Artemova, A. V., Tiedemann, R., Biebow, N. and Nürnberg, D. (2003) *Ice Cover of the Sea of Okhotsk during the Last Glaciation and Holocene [in kyrill. Schr.]* Doklady of Academy of Science, 388 (5). pp. 678-682.
- Gorbarenko, S., Leskov, V. Y., Artemova, A. V., Tiedemann, R., Biebow, N. and Nürnberg, D. (2003) *Ice Cover of the Sea of Okhotsk during the Last Glaciation and Holocene [in kyrill. Schr.]* Doklady of Academy of Science, 388 (5). pp. 678-682.
- Gorbarenko, S., Nürnberg, D., Derkachev, A. N., Astakhov, A. S., Southon J.R., and Kaiser, A. (2002) *Magnetostratigraphy and tephrochronology of the upper Quaternary sediments in the Okhotsk Sea: Implication of terrigenous, volcanogenic and biogenic matter supply* Marine Geology (183). pp. 107-129.
- Greaves, M., Caillon, N., Rebaubier, H., Bartoli, G., Bohaty, S., Cacho, I., Clarke, L., Cooper,

- M., Daunt, C., Delaney, M., deMenocal, P., Dutton, A., Eggins, S., Elderfield, H., Garbe-Schönberg, C. D., Goddard, E., Green, D., Groeneveld, J., Hastings, D., Hathorne, E., Kimoto, N., Klinkhammer, G., Labeyrie, L., Lea, D. W., Marchitto, T., Martínez-Botí, M. A., Mortyn, P. G., Ni, Y., Nürnberg, D., Paradis, G., Pena, L., Quinn, T., Rosenthal, Y., Russell, A., Sagawa, T., Sosdian, S., Stott, L., Tachikawa, K., Tappa, E., Thunell, R. and Wilson, P. A. (2008) *Interlaboratory comparison study of calibration standards for foraminiferal Mg/Ca thermometry* *Geochemistry Geophysics Geosystems*, 9 (8). DOI 10.1029/2008GC001974.
- Groeneveld, J., Hathorne, E. C., Steinke, S., DeBey, H., Mackensen, A. and Tiedemann, R. (2014) *Glacial induced closure of the Panamanian Gateway during Marine Isotope Stages (MIS) 95–100 (~2.5Ma)* *Earth and Planetary Science Letters*, 404 . pp. 296-306. DOI 10.1016/j.epsl.2014.08.007.
- Groeneveld, J., Nürnberg, D., Tiedemann, R., Reichart, G. J., Steph, S., Reuning, L., Crudeli, D. and Mason, P. (2008) *Foraminiferal Mg/Ca increase in the Caribbean during the Pliocene: Western Atlantic Warm Pool formation, salinity influence, or diagenetic overprint?* *Geochemistry Geophysics Geosystems*, 9 .
- Groeneveld, J., Steph, S., Tiedemann, R., Garbe-Schönberg, C. D., Nürnberg, D. and Sturm, A. (2006) *Pliocene mixed-layer oceanography for Site 1241, using combined Mg/Ca and $\delta^{18}O$ analyses of Globigerinoides sacculifer* *Proceedings of the Ocean Drilling Program: Scientific Results*, 202 . pp. 1-27. DOI 10.2973/odp.proc.sr.202.209.2006.
- Gussone, N., Eisenhauer, A., Haug, G., Heuser, A., Müller, A. and Tiedemann, R. (2004) *Caribbean Sea Surface Temperature and Salinity Fluctuations during the Pliocene Closure of the Central-American Gateway (4.6 and 4.0 Ma) A Comparison of $\delta^{44}Ca$ - and Mg/Ca Thermometry* *Earth and Planetary Science Letters* . pp. 201-214.
- Haug, G. H., Ganopolski, A., Sigman, D. M., Rosell-Mele, A., Swann, G. E. A., Tiedemann, R., Jaccard, S. L., Bollmann, J., Maslin, M. A., Leng, M. J. and Eglinton, G. (2005) *The seasonal cycle in North Pacific sea surface temperature and the glaciation of North America 2.7 million years ago* *Nature*, 433 . pp. 821-825. DOI 10.1038/nature03332.
- Haug, G. H., Tiedemann, R. and Keigwin, L. D. (2004) *How the Isthmus of Panama put ice in the Arctic Oceanus*, 42 . pp. 94-97.
- Hoffmann, J., Bahr, A., Voigt, S., Schönfeld, J., Nürnberg, D. and Rethemeyer, J. (2014) *Disentangling abrupt deglacial hydrological changes in northern South America: Insolation versus oceanic forcing* *Geology*, 42 (7). pp. 579-582. DOI 10.1130/G35562.1.
- Karas, C., Nürnberg, D., Tiedemann, R., Bahr, A., Groeneveld, J., Herrle, J.O., deMenocal, P.B. (2017) *Global cooling and the role of the Pliocene constrictions of tropical seaways*. *Scientific Reports (Nature)* 7:398442, doi:10.1038/srep39842.
- Karas, C., Nürnberg, D. and Tiedemann, R. (2012) *The Southwest Pacific during the Pliocene: a reply to Dickens and Backman, 2011* *Earth and Planetary Science Letters*, 331-332 . pp. 360-363. DOI 10.1016/j.epsl.2012.03.006.
- Karas, C., Nürnberg, D., Tiedemann, R. and Garbe-Schönberg, D. (2011) *Pliocene Indonesian Throughflow and Leeuwin Current dynamics: Implications for Indian Ocean polar heat flux* *Paleoceanography*, 26 (2). PA2217. DOI 10.1029/2010PA001949.
- Karas, C., Nürnberg, D., Tiedemann, R. and Garbe-Schönberg, D. (2011) *Pliocene climate change of the Southwest Pacific and the impact of ocean gateways* *Earth and Planetary Science Letters*, 301 (1-2). pp. 117-124. DOI 10.1016/j.epsl.2010.10.028.
- Khusid, T. A., Barash, M. S., Biebow, N., Nürnberg, D. and Tiedemann, R. (2005) *Late Quaternary environmental changes on the Southeastern slope of the Sea of Okhotsk inferred from benthic foraminifera* *Oceanology*, 45 (3). pp. 413-419.
- Kozdon, R., Eisenhauer, A., Weinelt, M., Meland, M. Y. and Nürnberg, D. (2009) *Reassessing Mg/Ca temperature calibrations of Neogloboquadrina pachyderma (sinistral) using paired $\delta^{44}Ca$ and Mg/Ca measurements* *Geochemistry Geophysics Geosystems*, 10 (3). DOI 10.1029/2008GC002169.
- Kujau, A., Nürnberg, D., Zielhofer, C., Bahr, A. and Röhl, U. (2010) *Mississippi River discharge over the last ~560,000years — Indications from X-ray fluorescence corescanning* *Palaeogeography Palaeoclimatology Palaeoecology*, 298 . pp. 311-318. DOI 10.1016/j.palaeo.2010.10.005.

- Levitan, M. A., Kuzmina, T. G., Luksha, V. L., Roshchina, I. A., Syromyatnikov, K. V., Max, L., Nürnberg, D., Riethdorf, J. R. and Tiedemann, R. (2013) *Late pleistocene sedimentation history of the Shirshov Ridge, Bering Sea* *Geochemistry International*, 51 (3). pp. 173-204. DOI 10.1134/S0016702913030051.
- Malone, M., Martin, J., Schönfeld, J., Ninnemann, U., Nürnberg, D. and White, T. (2004) *The oxygen isotopic composition and temperature of southern ocean bottom waters during the Last Glacial Maximum* *Earth and Planetary Science Letters* (222). pp. 275-283.
- Matul, A., Abelmann, A., Khusid, T., Chekhovskaya, M., Kaiser, A., Nürnberg, D. and Tiedemann, R. (2013) *Late Quaternary changes of the oxygen conditions in the bottom and intermediate waters on the western Kamchatka continental slope, the Sea of Okhotsk* *Deep-Sea Research Part II-Topical Studies in Oceanography* . DOI 10.1016/j.dsr2.2013.03.023.
- Matul, A. G., Abelmann, A., Nürnberg, D. and Tiedemann, R. (2009) *Stratigraphy and major paleoenvironmental changes in the Sea of Okhotsk during the last million years inferred from radiolarian data* *Oceanology*, 49 (1). pp. 93-100. DOI 10.1134/S0001437009010111.
- Matul, A., Abelmann, A., Tiedemann, R., Kaiser, A. and Nürnberg, D. (2002) *Late Quaternary polycystine radiolarian datum events in the Sea of Okhotsk* *Geo-Marine Letters*, 22 . pp. 25-32.
- Max, L., Rippert, N., Lembke-Jene, L., Cacho, I., Mackensen, A., Nürnberg, D., Tiedemann, R. (2016) Evidence for enhanced convection of North Pacific Intermediate Water to the low-latitude Pacific under glacial conditions. *Paleoceanography*, doi: 10.1002/2016PA002994.
- Max, L., Belz, L., Tiedemann, R., Fahl, K., Nürnberg, D. and Riethdorf, J. R. (2014) *Rapid shifts in subarctic Pacific climate between 138 and 70 ka* *Geology*, 42 (10). pp. 899-902. DOI 10.1130/G35879.1.
- Max, L., Lembke-Jene, L., Riethdorf, J. R., Tiedemann, R., Nürnberg, D., Kühn, H. and Mackensen, A. (2014) *Pulses of enhanced North Pacific Intermediate Water ventilation from the Okhotsk Sea and Bering Sea during the last deglaciation* *Climate of the Past*, 10. pp. 591-605. DOI 10.5194/cp-10-591-2014.
- Max, L., Riethdorf, J. R., Tiedemann, R., Smirnova, M., Lembke-Jene, L., Fahl, K., Nürnberg, D., Matul, A. and Mollenhauer, G. (2012) *Sea surface temperature variability and sea-ice extent in the subarctic northwest Pacific during the past 15,000 years* *Paleoceanography*, 27 (3). PA3213. DOI 10.1029/2012PA002292.
- Molina-Kescher, M., Frank, M., Tapia, R., Ronge, Th., Nürnberg, D., Tiedemann, R. (2016) Reduced admixture of North Atlantic Deep Water to the deep central South Pacific during the last two glacial periods. *Paleoceanography* 31, 651-668.
- Nürnberg, D., Dethleff, D., Tiedemann, R., Kaiser, A. and Gorbarenko, S. A. (2011) *Okhotsk Sea ice coverage and Kamchatka glaciation over the last 350ka — Evidence from icerrafted debris and planktonic $\delta^{18}O$* *Palaeogeography, Palaeoclimatology, Palaeoecology*, 310 (3-4). pp. 191-205. DOI 10.1016/j.palaeo.2011.07.011.
- Nürnberg, D. (2009) *Abrupt glacial climate change – a phenomenon of extreme winters?* IFM-GEOMAR Annual Report, 2008 . pp. 14-15.
- Nürnberg, D., Ziegler, M., Karas, C., Tiedemann, R. and Schmidt, M. (2008) *Interacting loop current variability and Mississippi River discharge over the past 400 kyrs* *Earth and Planetary Science Letters*, 272 (1/2). pp. 278-289. DOI 10.1016/j.epsl.2008.04.051.
- Nürnberg, D. and Groeneveld, J. (2006) *Pleistocene variability of the Subtropical Convergence at East Tasman Plateau - Evidence from planktonic foraminiferal Mg/Ca (ODP Site 1172A)* *Geochemistry Geophysics Geosystems*, 7 (4). DOI10.1029/2005GC000984.
- Nürnberg, D. and Tiedemann, R. (2004) *Environmental change in the Sea of Okhotsk over the past 1.1 million years* *Paleoceanography*, 19 . DOI 10.1029/2004PA001023.
- Nürnberg, D. (2000) *Taking the temperature of past ocean surfaces* *Science*, 289 . pp. 1698-1699.
- Nürnberg, D., Müller, A. and Schneider, R. (2000) *Paleo-sea surface temperature calculations in the equatorial east Atlantic from Mg/Ca ratios in planktic foraminifera: A comparison to sea surface temperature estimates from UK'37, oxygen isotopes, and*

- foraminiferal transfer function* *Paleoceanography*, 15 (1). pp. 124-134.
- Osborne, A. H., Newkirk, D. R., Groeneveld, J., Martin, E. E., Tiedemann, R. and Frank, M. (2014) *The seawater neodymium and lead isotope record of the final stages of Central American Seaway closure* *Paleoceanography*, 29 (7). pp. 715-729. DOI 10.1002/2014PA002676.
- Ovsepyan, E. A., Ivanova, E. V., Max, L., Riethdorf, J. R., Nürnberg, D. and Tiedemann, R. (2013) *Late quaternary oceanographic conditions in the Western Bering Sea* *Oceanology*, 53 (2). pp. 211-222. DOI 10.1134/S0001437013020136.
- Poggemann, D., Hathorne, E., Nürnberg, D., Frank, M., Bruhn, I., Reissig, S., Bahr, A. (2017) Rapid Deglacial Injection of Nutrients into the Atlantic via Antarctic Intermediate Water. *EPSL* 463, 118–126, dx.doi.org/10.1016/j.epsl.2017.01.030.
- Ponomareva, V., Portnyagin, M., Derkachev, A., Pendea, I. F., Bourgeois, J., Reimer, P. J., Garbe-Schönberg, D., Krasheninnikov, S. and Nürnberg, D. (2013) *Early Holocene M~6 explosive eruption from Plosky volcanic massif (Kamchatka) and its tephra as a link between terrestrial and marine paleoenvironmental records* *International Journal of Earth Sciences*, 102 (6). pp. 1673-1699. DOI 10.1007/s00531-013-0898-0.
- Raddatz, J., Nürnberg, D., Rippert, N., Tiedemann, R. (2017) Southeastern marginal West Pacific Warm Pool sea-surface and thermocline dynamics during the Pleistocene (2.5–0.5 Ma). *Paleo3* 471, 144–156, dx.doi.org/10.1016/j.palaeo.2017.01.024.
- Regenberg, M., Steph, S., Nürnberg, D., Tiedemann, R. and Garbe-Schönberg, C. D. (2009) *Calibrating Mg/Ca ratios of multiple planktonic foraminiferal species with $\delta^{18}\text{O}$ calcification temperatures: paleothermometry for the upper water column* *Earth and Planetary Science Letters*, 278 . pp. 324-336. DOI 10.1016/j.epsl.2008.12.019.
- Regenberg, M., Nürnberg, D., Schönfeld, J. and Reichert, G. J. (2007) *Early diagenetic overprint in Caribbean sediment cores and its effect on the geochemical composition of planktonic foraminifera* *Biogeosciences (BG)*, 4 . pp. 957-973. DOI 10.5194/bg-4-957-2007.
- Regenberg, M., Nürnberg, D., Steph, S., Groeneveld, J., Garbe-Schönberg, C. D., Tiedemann, R. and Dullo, W. C. (2006) *Assessing the effect of dissolution on planktonic foraminiferal Mg/Ca ratios: Evidence from Caribbean core tops* *Geochemistry Geophysics Geosystems*, 7 (7). DOI 10.1029/2005GC001019.
- Riethdorf, J. R., Max, L., Nürnberg, D., Lembke-Jene, L. and Tiedemann, R. (2013) *Deglacial development of (sub) sea surface temperature and salinity in the subarctic northwest Pacific: Implications for upper-ocean stratification* *Paleoceanography*, 28 (1). pp. 91-104. DOI 10.1002/palo.20014.
- Riethdorf, J. R., Nürnberg, D., Max, L., Tiedemann, R., Gorbarenko, S. A. and Malakhov, M. I. (2013) *Millennial-scale variability of marine productivity and terrigenous matter supply in the western Bering Sea over the past 180 kyr* *Climate of the Past*, 9 (3). pp. 1345-1373. DOI 10.5194/cp-9-1345-2013.
- Rippert, N., Nürnberg, D., Raddatz, J., Meier, E., Hathorne, E., Bijma, J., Tiedemann, R. (2016) Constraining foraminiferal calcification depths in the Western Pacific Warm Pool. *Marine Micropaleontology* 128, 14-27.
- Schmittner, A., Sarnthein, M., Kinkel, H., Bartoli, G., Bickert, R., Crucifix, M., Crudeli, D., Groeneveld, J., Kösters, F., Mikolajewicz, U., Millo, C., Reijmer, J., Schäfer, P., Schmidt, D., Schneider, B., Schulz, M., Steph, S., Tiedemann, R., Weinelt, M. and Zuvela, M. (2004) *Global impact of the Panamanian Seaway* *Eos, Transactions American Geophysical Union*, 85 (49). pp. 526-527.
- Steph, S., Tiedemann, R., Prange, M., Groeneveld, J., Schulz, M., Timmermann, A., Nürnberg, D., Rühlemann, C., Saukel, C. and Haug, G. A. (2010) *Early Pliocene increase in thermohaline overturning : a precondition for the development of the modern equatorial Pacific cold tongue* *Paleoceanography*, 25 . PA2202. DOI 10.1029/2008PA001645.
- Spielhagen, R., Bonani, G., Eisenhauer, A., Frank, M., Frederichs, T., Kassens, H., Kubik, P. W., Mangini, A., Nörsgaard-Pedersen, N., Nowaczak, N. R., Schäper, S., Stein, R., Thiede, J., Tiedemann, R. and Wahsner, M. (1997) *Arctic Ocean evidence for late Quaternary initiation of northern Eurasian ice sheets* *Geology*, 25 (9). pp. 783-786. DOI DOI:10.1130/0091-7613(1997).

- Steph, S., Regenberg, M., Tiedemann, R., Mulitza, S. and Nürnberg, D. (2009) *Stable isotopes of planktonic foraminifera from tropical Atlantic/Caribbean coretops: implications for reconstructing upper ocean stratification* Marine Micropaleontology, 71 . pp. 1-19. DOI 10.1016/j.marmicro.2008.12.004.
- Steph, S., Tiedemann, R., Groeneveld, J., Sturm, A. and Nürnberg, D. (2006) *Pliocene changes in tropical east Pacific upper ocean stratification: response to tropical gateways?* Proceedings of the Ocean Drilling Program: Scientific Results, 202 . pp. 1-51. DOI 10.2973/odp.proc.sr.202.211.2006.
- Steph, S., Tiedemann, R., Prange, M., Groeneveld, J., Nürnberg, D., Reuning, L., Schulz, M. and Haug, G. H. (2006) *Changes in Caribbean surface hydrography during the Pliocene shoaling of the Central American Seaway* Paleoceanography, 21. DOI10.1029/2004PA001092.
- Steph, S., Tiedemann, R., Prange, M., Groeneveld, J., Schulz, M., Timmermann, A., Nürnberg, D., Rühlemann, C., Saukel, C. and Haug, G. A. (2010) *Early Pliocene increase in thermohaline overturning : a precondition for the development of the modern equatorial Pacific cold tongue* Paleoceanography, 25 . PA2202. DOI 10.1029/2008PA001645.
- Tapia, R., Nürnberg, D., Ronge, T. and Tiedemann, R. (2015) *Disparities in glacial advection of Southern Ocean Intermediate Water to the South Pacific Gyre* Earth and Planetary Science Letters, 410 . pp. 152-164. DOI 10.1016/j.epsl.2014.11.031.
- van der Kaars, S., Miller, G., Turney, C., Cook, E.J., Nürnberg, D., Schönfeld, J., Kershaw, A.P., Lehman, S. (2017) *Megafaunal Population Collapse within 2,000 years of Human Dispersal across Pleistocene Australia.* Nature Comm. 8:14142, doi:10.1038/ncomms14142.
- Ziegler, M., Nürnberg, D., Karas, C., Tiedemann, R. and Lourens, L. J. (2008) *Persistent summer expansion of the Atlantic Warm Pool during glacial abrupt cold events* Nature Geoscience, 1 (9). pp. 601-605. DOI 10.1038/ngeo277.
- Zuraida, R., Holbourn, A., Nürnberg, D., Kuhnt, W., Dürkop, A. and Erichsen, A. (2009) *Evidence for Indonesian Throughflow slowdown during Heinrich events 3-5* Paleoceanography, 24 . DOI 10.1029/2008PA001653.